

Floodlight Summary:

Report based on lamp delivering 1000 lumens.

| | | |
|------------------------------------|--|------------------------|
| Maximum Intensity | | 356.9 cd per klm. |
| (Luminaire orientation as tested.) | | 4.0 degrees vertical |
| | | 1.0 degrees horizontal |

| | | |
|-------------|----------------|-----------------|
| Beam Spread | At 10% of Imax | 148.9V x 152.8H |
| | At 50% of Imax | 111.6V x 115.6H |
| | At 90% of Imax | 53.7V x 53.7H |

| | | |
|-----------|----------------|-----------------------|
| Beam Flux | Total | 999.0 lumens per klm. |
| | To 10% of Imax | 991.1 lumens per klm. |
| | To 50% of Imax | 786.0 lumens per klm. |
| | To 90% of Imax | 227.3 lumens per klm. |

| | |
|--------------|--------|
| Upward LOR | 0.0 % |
| Downward LOR | 99.9 % |


| | |
|---|---------|
| Luminaire Efficiency (Light Output Ratio) | 100.0 % |
|---|---------|

H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3°C
Operators:杨守真
Test Date:2025-09-11

V(B) Range:-75 - 75DEG
V(B) Interval: 2.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.279
Humidity:65.0%
Test Distance:9.078m [K=1.0000]
Remarks:

ISOCANDELA DIAGRAM

| | | |
|---|-------|------------------|
| Test:U:219.40V I:0.8560A P:169.20W PF:0.9010 Freq:50.00Hz Lamp Flux:16558.7x1 lm | | |
| NAME: Gaia S Hight Bay | TYPE: | Shielding Angle: |
| SPEC.: | | |
| MFR.: | | |




H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3°C
Operators:杨守真
Test Date:2025-09-11

V(B) Range:-75 - 75DEG
V(B) Interval: 2.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.279
Humidity:65.0%
Test Distance:9.078m [K=1.0000]
Remarks:

ISOLUX DIAGRAM


| | | |
|---|-------|------------------|
| Test:U:219.40V I:0.8560A P:169.20W PF:0.9010 Freq:50.00Hz | | |
| Lamp Flux:16558.7x1 lm | | |
| NAME: Gaia S Hight Bay | TYPE: | Shielding Angle: |
| SPEC.: | | |
| MFR.: | | |



H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3°C
Operators:杨守真
Test Date:2025-09-11

V(B) Range:-75 - 75DEG
V(B) Interval: 2.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.279
Humidity:65.0%
Test Distance:9.078m [K=1.0000]
Remarks:

Planar Illuminance Curve




H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3°C
Operators:杨守真
Test Date:2025-09-11

V(B) Range:-75 - 75DEG
V(B) Interval: 2.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.279
Humidity:65.0%
Test Distance:9.078m [K=1.0000]
Remarks:

AAI Figure

| | | |
|---|-------|------------------|
| Test:U:219.40V I:0.8560A P:169.20W PF:0.9010 Freq:50.00Hz Lamp Flux:16558.7x1 lm | | |
| NAME: Gaia S Hight Bay | TYPE: | Shielding Angle: |
| SPEC.: | | |
| MFR.: | | |

Flux out:12704 lm



Note:The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3°C
Operators:杨守真
Test Date:2025-09-11

V(B) Range:-75 - 75DEG
V(B) Interval: 2.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.279
Humidity:65.0%
Test Distance:9.078m [K=1.0000]
Remarks:

LUMINOUS DISTRIBUTION INTENSITY DATA

| | | |
|---|-------|------------------|
| Test:U:219.40V I:0.8560A P:169.20W PF:0.9010 Freq:50.00Hz | | |
| Lamp Flux:16558.7x1 lm | | |
| NAME: Gaia S Hight Bay | TYPE: | Shielding Angle: |
| SPEC.: | | |
| MFR.: | | |

Table--1

UNIT: cd

| H (DEG) \ V (DEG) | -90 | -85 | -80 | -75 | -70 | -65 | -60 | -55 | -50 | -45 | -40 | -35 | -30 | -25 | -20 | -15 | -10 | -5 | 0 |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| -90 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| -85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| -80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| -75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| -70 | 2.84 | 4.99 | 9.32 | 43.9 | 99.4 | 177 | 277 | 377 | 479 | 579 | 680 | 784 | 873 | 941 | 996 | 1042 | 1081 | 1102 | 1110 |
| -65 | 2.79 | 5.03 | 12.3 | 73.2 | 171 | 305 | 467 | 616 | 763 | 901 | 1036 | 1166 | 1279 | 1367 | 1438 | 1496 | 1544 | 1570 | 1578 |
| -60 | 2.70 | 5.09 | 16.8 | 117 | 278 | 498 | 752 | 974 | 1188 | 1383 | 1570 | 1740 | 1888 | 2005 | 2100 | 2178 | 2240 | 2271 | 2280 |
| -55 | 2.64 | 5.13 | 19.8 | 146 | 349 | 627 | 942 | 1213 | 1471 | 1704 | 1926 | 2123 | 2294 | 2431 | 2541 | 2632 | 2703 | 2739 | 2749 |
| -50 | 2.55 | 5.18 | 24.3 | 190 | 456 | 820 | 1227 | 1571 | 1897 | 2187 | 2460 | 2697 | 2903 | 3070 | 3203 | 3313 | 3399 | 3441 | 3451 |
| -45 | 2.49 | 5.22 | 27.3 | 220 | 527 | 948 | 1416 | 1810 | 2180 | 2508 | 2815 | 3080 | 3308 | 3496 | 3645 | 3767 | 3862 | 3909 | 3919 |
| -40 | 2.31 | 5.26 | 54.6 | 302 | 697 | 1191 | 1688 | 2121 | 2525 | 2880 | 3207 | 3489 | 3734 | 3933 | 4095 | 4223 | 4318 | 4367 | 4379 |
| -35 | 2.19 | 5.28 | 75.8 | 362 | 819 | 1359 | 1866 | 2323 | 2744 | 3114 | 3449 | 3740 | 3993 | 4198 | 4367 | 4496 | 4590 | 4641 | 4653 |
| -30 | 1.99 | 5.31 | 108 | 452 | 1001 | 1611 | 2135 | 2625 | 3072 | 3464 | 3813 | 4117 | 4381 | 4595 | 4775 | 4906 | 4998 | 5051 | 5064 |
| -25 | 1.85 | 5.15 | 125 | 499 | 1079 | 1698 | 2238 | 2739 | 3195 | 3595 | 3950 | 4259 | 4527 | 4746 | 4926 | 5061 | 5152 | 5208 | 5219 |
| -20 | 1.63 | 4.92 | 151 | 569 | 1197 | 1829 | 2394 | 2910 | 3380 | 3791 | 4156 | 4473 | 4747 | 4973 | 5152 | 5293 | 5384 | 5444 | 5451 |
| -15 | 1.48 | 4.76 | 168 | 616 | 1276 | 1916 | 2497 | 3025 | 3503 | 3922 | 4294 | 4615 | 4893 | 5124 | 5303 | 5447 | 5539 | 5601 | 5606 |
| -10 | 1.32 | 4.82 | 194 | 678 | 1367 | 2039 | 2630 | 3172 | 3648 | 4071 | 4446 | 4779 | 5056 | 5291 | 5474 | 5616 | 5704 | 5763 | 5770 |
| -5 | 1.24 | 4.57 | 198 | 692 | 1396 | 2064 | 2664 | 3208 | 3690 | 4119 | 4502 | 4835 | 5117 | 5351 | 5535 | 5677 | 5774 | 5830 | 5840 |
| 0 | 1.15 | 4.52 | 208 | 730 | 1444 | 2113 | 2716 | 3268 | 3751 | 4186 | 4569 | 4898 | 5184 | 5422 | 5600 | 5745 | 5832 | 5894 | 5897 |
| 5 | 1.14 | 4.38 | 205 | 717 | 1437 | 2102 | 2706 | 3257 | 3748 | 4182 | 4566 | 4900 | 5181 | 5418 | 5603 | 5747 | 5842 | 5901 | 5909 |
| 10 | 1.13 | 5.05 | 205 | 714 | 1425 | 2104 | 2705 | 3256 | 3742 | 4173 | 4555 | 4887 | 5168 | 5402 | 5592 | 5727 | 5830 | 5877 | 5891 |
| 15 | 1.13 | 4.93 | 189 | 673 | 1365 | 2031 | 2635 | 3181 | 3675 | 4107 | 4491 | 4823 | 5107 | 5344 | 5527 | 5675 | 5770 | 5834 | 5839 |
| 20 | 1.13 | 4.74 | 168 | 616 | 1266 | 1922 | 2508 | 3042 | 3527 | 3951 | 4327 | 4656 | 4936 | 5168 | 5349 | 5498 | 5590 | 5657 | 5661 |
| 25 | 1.13 | 4.60 | 155 | 580 | 1199 | 1850 | 2421 | 2945 | 3422 | 3839 | 4208 | 4534 | 4811 | 5039 | 5220 | 5367 | 5458 | 5524 | 5529 |
| 30 | 1.13 | 4.40 | 134 | 524 | 1099 | 1741 | 2291 | 2800 | 3264 | 3671 | 4031 | 4352 | 4624 | 4845 | 5026 | 5170 | 5260 | 5325 | 5331 |
| 35 | 1.13 | 4.03 | 111 | 460 | 981 | 1583 | 2122 | 2613 | 3063 | 3458 | 3810 | 4123 | 4387 | 4606 | 4782 | 4924 | 5014 | 5077 | 5085 |
| 40 | 1.14 | 3.46 | 77.7 | 365 | 803 | 1347 | 1868 | 2333 | 2761 | 3140 | 3478 | 3778 | 4033 | 4246 | 4416 | 4553 | 4646 | 4706 | 4717 |
| 45 | 1.14 | 3.09 | 55.3 | 301 | 685 | 1190 | 1698 | 2147 | 2560 | 2928 | 3257 | 3549 | 3796 | 4006 | 4172 | 4307 | 4401 | 4458 | 4471 |
| 50 | 1.15 | 2.70 | 41.8 | 239 | 549 | 966 | 1396 | 1778 | 2133 | 2455 | 2745 | 3003 | 3220 | 3405 | 3552 | 3671 | 3756 | 3807 | 3819 |
| 55 | 1.15 | 2.47 | 35.5 | 202 | 463 | 819 | 1188 | 1520 | 1832 | 2119 | 2380 | 2612 | 2807 | 2973 | 3105 | 3212 | 3289 | 3335 | 3347 |
| 60 | 1.16 | 2.12 | 26.0 | 146 | 335 | 598 | 877 | 1134 | 1381 | 1615 | 1832 | 2025 | 2186 | 2324 | 2434 | 2524 | 2589 | 2628 | 2639 |
| 65 | 1.17 | 1.89 | 19.7 | 109 | 249 | 450 | 669 | 876 | 1080 | 1279 | 1467 | 1634 | 1773 | 1891 | 1987 | 2065 | 2122 | 2156 | 2167 |
| 70 | 1.18 | 1.54 | 10.3 | 52.9 | 121 | 229 | 357 | 490 | 628 | 775 | 920 | 1048 | 1152 | 1242 | 1317 | 1377 | 1422 | 1449 | 1459 |
| 75 | 1.19 | 1.31 | 3.96 | 15.7 | 34.9 | 82.0 | 149 | 232 | 327 | 439 | 554 | 657 | 739 | 809 | 870 | 918 | 955 | 977 | 987 |
| 80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 90 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3℃
Operators:杨守真
Test Date:2025-09-11

V(B) Range:-75 - 75DEG
V(B) Interval: 2.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.279
Humidity:65.0%
Test Distance:9.078m [K=1.0000]
Remarks:

LUMINOUS DISTRIBUTION INTENSITY DATA

| | | |
|---|-------|------------------|
| Test:U:219.40V I:0.8560A P:169.20W PF:0.9010 Freq:50.00Hz | | |
| Lamp Flux:16558.7x1 lm | | |
| NAME: Gaia S Hight Bay | TYPE: | Shielding Angle: |
| SPEC.: | | |
| MFR.: | | |

Table--2

UNIT: cd

| H (DEG) V (DEG) | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 |
|--------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| -90 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| -85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| -80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| -75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| -70 | 1108 | 1092 | 1064 | 1026 | 976 | 913 | 822 | 723 | 617 | 511 | 406 | 306 | 199 | 116 | 56.3 | 17.0 | 6.51 | 3.03 |
| -65 | 1575 | 1551 | 1513 | 1462 | 1396 | 1312 | 1199 | 1073 | 936 | 793 | 648 | 502 | 337 | 198 | 93.3 | 25.3 | 6.66 | 2.99 |
| -60 | 2275 | 2241 | 2187 | 2117 | 2025 | 1909 | 1764 | 1597 | 1415 | 1216 | 1010 | 797 | 545 | 321 | 149 | 37.6 | 6.87 | 2.93 |
| -55 | 2742 | 2700 | 2636 | 2553 | 2445 | 2308 | 2141 | 1947 | 1734 | 1497 | 1251 | 994 | 683 | 403 | 186 | 45.9 | 7.02 | 2.89 |
| -50 | 3442 | 3390 | 3310 | 3207 | 3075 | 2906 | 2707 | 2472 | 2213 | 1920 | 1613 | 1288 | 890 | 526 | 242 | 58.2 | 7.23 | 2.83 |
| -45 | 3909 | 3850 | 3759 | 3643 | 3495 | 3304 | 3084 | 2822 | 2532 | 2202 | 1854 | 1485 | 1028 | 608 | 279 | 66.4 | 7.38 | 2.78 |
| -40 | 4363 | 4301 | 4205 | 4080 | 3917 | 3714 | 3476 | 3196 | 2881 | 2526 | 2147 | 1738 | 1260 | 763 | 365 | 98.2 | 7.45 | 2.60 |
| -35 | 4633 | 4571 | 4471 | 4341 | 4171 | 3963 | 3715 | 3425 | 3096 | 2729 | 2334 | 1901 | 1418 | 872 | 426 | 122 | 7.48 | 2.46 |
| -30 | 5038 | 4976 | 4871 | 4734 | 4551 | 4336 | 4072 | 3770 | 3418 | 3033 | 2613 | 2146 | 1655 | 1034 | 518 | 158 | 7.53 | 2.26 |
| -25 | 5196 | 5130 | 5027 | 4885 | 4703 | 4483 | 4220 | 3912 | 3555 | 3161 | 2731 | 2252 | 1745 | 1124 | 572 | 180 | 7.75 | 2.10 |
| -20 | 5432 | 5361 | 5260 | 5112 | 4932 | 4704 | 4441 | 4125 | 3760 | 3353 | 2909 | 2412 | 1881 | 1258 | 654 | 214 | 8.09 | 1.86 |
| -15 | 5590 | 5516 | 5416 | 5263 | 5084 | 4851 | 4588 | 4268 | 3896 | 3482 | 3027 | 2518 | 1971 | 1347 | 708 | 236 | 8.32 | 1.70 |
| -10 | 5747 | 5676 | 5570 | 5419 | 5236 | 4998 | 4719 | 4393 | 4012 | 3596 | 3130 | 2620 | 2062 | 1425 | 745 | 254 | 7.84 | 1.48 |
| -5 | 5818 | 5752 | 5648 | 5494 | 5309 | 5071 | 4800 | 4474 | 4094 | 3667 | 3198 | 2679 | 2113 | 1466 | 786 | 269 | 8.57 | 1.37 |
| 0 | 5881 | 5808 | 5703 | 5552 | 5365 | 5122 | 4841 | 4507 | 4116 | 3688 | 3220 | 2697 | 2127 | 1473 | 789 | 274 | 8.36 | 1.25 |
| 5 | 5888 | 5821 | 5716 | 5567 | 5376 | 5141 | 4865 | 4537 | 4150 | 3720 | 3246 | 2719 | 2145 | 1492 | 809 | 278 | 9.36 | 1.22 |
| 10 | 5857 | 5794 | 5681 | 5535 | 5340 | 5106 | 4823 | 4492 | 4104 | 3675 | 3205 | 2685 | 2116 | 1467 | 773 | 268 | 9.26 | 1.20 |
| 15 | 5820 | 5747 | 5646 | 5491 | 5306 | 5067 | 4787 | 4458 | 4075 | 3648 | 3178 | 2653 | 2085 | 1445 | 764 | 264 | 10.0 | 1.20 |
| 20 | 5645 | 5571 | 5472 | 5315 | 5134 | 4897 | 4620 | 4294 | 3918 | 3499 | 3039 | 2525 | 1974 | 1339 | 703 | 237 | 9.06 | 1.19 |
| 25 | 5512 | 5439 | 5340 | 5184 | 5003 | 4770 | 4493 | 4170 | 3798 | 3385 | 2934 | 2429 | 1892 | 1258 | 657 | 216 | 8.15 | 1.19 |
| 30 | 5313 | 5241 | 5141 | 4987 | 4806 | 4579 | 4303 | 3984 | 3618 | 3214 | 2777 | 2285 | 1768 | 1138 | 587 | 185 | 6.79 | 1.19 |
| 35 | 5068 | 4999 | 4901 | 4753 | 4576 | 4355 | 4088 | 3778 | 3423 | 3032 | 2607 | 2136 | 1622 | 1032 | 526 | 161 | 6.18 | 1.18 |
| 40 | 4700 | 4637 | 4541 | 4402 | 4231 | 4020 | 3766 | 3469 | 3130 | 2758 | 2352 | 1914 | 1403 | 875 | 435 | 125 | 5.25 | 1.18 |
| 45 | 4455 | 4395 | 4300 | 4168 | 4001 | 3796 | 3551 | 3264 | 2934 | 2576 | 2183 | 1766 | 1257 | 769 | 374 | 101 | 4.64 | 1.17 |
| 50 | 3806 | 3754 | 3671 | 3556 | 3409 | 3230 | 3016 | 2762 | 2471 | 2159 | 1819 | 1463 | 1030 | 624 | 301 | 80.2 | 3.95 | 1.17 |
| 55 | 3335 | 3290 | 3216 | 3113 | 2982 | 2822 | 2632 | 2401 | 2140 | 1863 | 1562 | 1251 | 877 | 528 | 254 | 67.9 | 3.53 | 1.17 |
| 60 | 2630 | 2593 | 2533 | 2448 | 2341 | 2209 | 2054 | 1860 | 1644 | 1418 | 1177 | 932 | 647 | 385 | 184 | 49.5 | 2.89 | 1.16 |
| 65 | 2159 | 2129 | 2077 | 2005 | 1914 | 1801 | 1669 | 1500 | 1313 | 1121 | 921 | 720 | 494 | 289 | 137 | 37.3 | 2.47 | 1.16 |
| 70 | 1454 | 1432 | 1394 | 1341 | 1273 | 1189 | 1092 | 959 | 816 | 677 | 536 | 401 | 265 | 146 | 67.0 | 18.9 | 1.83 | 1.16 |
| 75 | 983 | 968 | 939 | 898 | 845 | 781 | 707 | 599 | 485 | 380 | 279 | 189 | 112 | 50.4 | 20.3 | 6.62 | 1.40 | 1.15 |
| 80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 90 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

H(β) Range:-90 - 90DEG
H(β) Interval: 1.0DEG
Test Speed: HIGH
Temperature:25.3℃
Operators:杨守真
Test Date:2025-09-11

V(B) Range:-75 - 75DEG
V(B) Interval: 2.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.279
Humidity:65.0%
Test Distance:9.078m [K=1.0000]
Remarks: