

ATTESTATION OF CONFORMITY

No. 26AS041384S598A001

The submitted sample of below equipment has been tested in according to Low Voltage Directive 2014/35/EU with the following standards. The test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the principal protection requirement of the Low Voltage Directive.

Report No. : S01A26041384L00101
Applicant : Shenzhen Fluence Lighting Technology Co., Ltd.
Address : Room 1410, Building A, CPS Technology Building, No. 18 Gaoke Avenue, Baolong Subdistrict, Longgang District, Shenzhen
Manufacturer : Shenzhen Fluence Lighting Technology Co., Ltd.
Address : Room 1410, Building A, CPS Technology Building, No. 18 Gaoke Avenue, Baolong Subdistrict, Longgang District, Shenzhen
Description of Product : Polaris Projection Light
Model No. : See Attachment
Trade Mark : --
Input Rating : 120-277V~, 50/60Hz, IP65, Class I, ta:50°C; other detail see Attachment
Test Standards : EN IEC 60598-1:2024/A11:2024, EN 60598-2-5:2015

After preparation of the necessary technical documentation as well as the EU declaration of conformity, the CE marking can be affixed on the product if all relevant effective EU-directives or regulations related to CE marking have been complied with. The EU declaration of conformity is issued under the sole responsibility of the applicant or manufacturer.

Test Laboratory

Sandy Chen
Director
Date of Issue: June 16, 2026
CERTIFICATE

This attestation of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the production of the products.

Guangdong GTG Testing Technology Co., Ltd.

Add.: 1-2/F., Building A, and 1/F., Building B, No.11, & Room 102, Unit 1, and Room 101 Unit 2, Building 1, No.9, Zongbu 2nd Road, Songshan Lake High-Tech Industrial Development Zone, Dongguan, Guangdong, China.

Web:www.gtggroup.com E-mail:info@gtggroup.com Tel:86-4007558988

ATTESTATION OF CONFORMITY

Attachment

Model list:

120-277V~, 50/60Hz, IP65, Class I, ta:50°C;

Model	Power(W)	LED driver	Size (L*W*H mm)
TS-BJX-0100-N01S	100	ZH-FVP100R-260	342*287*97
		HJ-W100-V266A-MOF	
TS-BJX-0200-N01S	200	ZH-FVP200R-260	342*369*97
		HJ-W200-V266A-MOF	
TS-BJX-0300-N01S	300	ZH-FVP320R-260	342*450*97
		HJ-W320-V266A-MOF	
TS-BJX-0500-N01S	500	ZH-FVP320R-260 + ZH-FVP200R-260	342*706*97
		HJ-W320-V266A-MOF + HJ-W200-V266A-MOF	
TS-BJX-1000-N01S	1000	LF-FDA1000	691*740*303
TS-BJX-1500-N01S	1500	LF-FDA800*2	691*812*303

Guangdong GTG Testing Technology Co., Ltd.

Add.: 1-2/F., Building A, and 1/F., Building B, No.11, & Room 102, Unit 1, and Room 101 Unit 2, Building 1, No.9, Zongbu 2nd Road, Songshan Lake High-Tech Industrial Development Zone, Dongguan, Guangdong, China.

Web:www.gtggroup.com E-mail:info@gtggroup.com Tel:86-4007558988